

Healthcare for LGBTQIA+ population in Primary Health Care: a scoping review

Saúde de LGBTQIA+ na atenção básica de saúde: uma revisão de escopo

Emília de Fátima Miterofe Gonçalves¹, Egléubia Andrade de Oliveira¹, Gisela Cordeiro Pereira Cardoso¹, Leticia Tereza Barbosa da Silva¹

DOI: 10.1590/2358-28982023E19111

ABSTRACT The LGBTQIA+ population still faces many difficulties in accessing health services and obtaining effective care and assistance. This article provides an analysis of the academic literature on the LGBTQIA+ population's access to Primary Health Care (PHC) services in Brazil. To this end, a scoping review was conducted in order to identify studies on subjects where literature reviews are still scarce and where different study designs may be possible. As for the results, it was observed that scientific production on access to PHC for the LGBTQIA+ population is still incipient. It emerged that, despite the political gains made through the struggle of social movements, the health process for this population is still permeated by a heteronormative logic that disregards identities and gender orientations and, consequently, imposes major barriers to accessing healthcare services.

KEYWORDS Sexual and gender minorities. Primary Health Care. Access to health services. Barriers to access to health care.

RESUMO A população LGBTQIA+ ainda enfrenta diversas dificuldades no acesso aos serviços de saúde e na obtenção efetiva de cuidado e assistência. Este artigo apresenta uma análise da produção bibliográfica acadêmica sobre o acesso da população LGBTQIA+ aos serviços de Atenção Primária à Saúde (APS) no Brasil. Para isso, foi realizada uma revisão de escopo, que visa identificar estudos sobre temas em relação aos quais revisões de literatura ainda são escassas e na qual diferentes desenhos de estudo são possíveis. No que se refere aos resultados, observou-se uma produção científica ainda incipiente sobre o acesso da população LGBTQIA+ na APS. Identificou-se que, apesar das conquistas políticas, adquiridas por meio da luta dos movimentos sociais, o processo de saúde dessa população ainda é permeado por uma lógica heteronormativa que desconsidera as identidades e as orientações de gênero e, conseqüentemente, institui importantes barreiras de acesso aos serviços de saúde.

PALAVRAS-CHAVE Minorias sexuais e de gênero. Atenção Primária à Saúde. Acesso aos serviços de saúde. Barreiras ao acesso aos cuidados de saúde.

¹Fundação Oswaldo Cruz (Fiocruz), Escola Nacional de Saúde Pública Sergio Arouca (Ensp) – Rio de Janeiro (RJ), Brasil.
emiterofe@gmail.com



Introduction

This article addresses the access to health policies by the Lesbian, Gay, Bisexual, Transvestite, Transsexual and Transgender, Queer, Intersexual or Intersex, Asexual and other (LGBTQIA+) population, given the historical condition of invisibility of this social group, the denial of their rights in various social sectors, especially in the health field.

The access of the LGBTQIA+ population to the care network is affected by different factors, including the professional approaches to care and specific health strategies and actions available. The welcoming practices and the identification of the demands and specificities of these populations are key aspects for the qualified and effective assistance to meet the needs of this population. In this way, it is important to understand access not only as the population's arrival at health services, but also as the effective guarantee of their rights, which materializes through attentive looks, welcoming actions and the bonds built capable of capturing the intersubjectivities involved between professionals and users.

Evidence of prejudice related to sexual orientation and gender identity within Primary Health Care (PHC) justifies analyses that question the strategic role of this level of care, in terms of its potential to adequately welcome and refer the demands and expectations of this public to the workflows of the assistance services. However, there are few studies on the offer of healthcare services to the LGBTQIA+ population in PHC, the main gateway to preventive actions and treatment for this group in Brazil.

Considering this context, this article will try to map the literature on that subject and synthesize the evidence produced so as to analyze the LGBTQIA+ population's access to PHC services in Brazil through a scope review. It will describe how the literature addresses the facilitators and the obstacles faced by these populations in terms of access to healthcare, and also the dimension of professional

training to meet the specific health needs of the LGBTQIA+ populations.

Methodology

This study carried out a scoping review on the LGBTQIA+ population's access to PHC services. This kind of review is a method aimed to examine the extent and the types of productions and concepts on which a particular area of knowledge is based, supporting the systematization and dissemination of their findings which contribute to practices, policies, and future studies. It also helps to identify gaps in the existing literature and to the methodological approaches and trajectories adopted in research in a certain field^{1,2}. Given the diversity of methods used in literature reviews, it was decided to conduct a scoping review because it proved to be suitable to identify the production on the subject with a focus on the obstacles and facilitators faced by the LGBTQIA+ population in accessing health services.


The bibliographic survey was conducted on the following databases: Portal Regional BVS (VHL Regional Portal), SciELO, PubMed, Scopus and Web of Science, between 2017 and 2022. In all of them, keywords in Portuguese and English languages were used within the search strategy, especially in the international databases PubMed, Scopus and Web of Science.

A total of 502 articles were identified. The titles were then organized in the Mendeley reference management software in order to filter the results and discard those that were repeated or out of scope for the study. In this first stage some articles were eliminated: 251 for being duplicates; 128 articles for being published outside the period between 2017 and 2022; and one article that did not allow free access to the full text. After reading the titles and abstracts, those articles that did not address the issue of access do Primary Health Care (PHC) for the LGBTQIA+ population were also eliminated from the sample. After

these procedures, the selected sample consisted of 37 articles. These papers were fully read and eight ended up being rejected for not meeting the research objective.

Thus, the final study sample comprised 29 articles identified as relevant for analysis as shown in *figure 1*.

Figure 1. Article selection diagram



Source: Own elaboration.

Discussion

It is understood that approaches to any aspect of the LGBTQIA+ population cannot be done without introducing the concept of gender. Discussions on this subject remain a taboo in many areas of society due to conservatism and the naturalization of a culture based on heterosexual and cisgender orientation. At the heart of feminist theories, gender is currently regarded as a historically, socially, and culturally constructed category, which is individually accepted through roles, tastes, customs, behaviors, and representations³. Judith Butler⁴ emphasizes that gender needs to be assumed by the person, but this does not happen through a process of choice; rather, it is a process of

construction and disputes, because, ultimately, the gender system is hierarchical and involves power relations.

The political struggle for social rights for the LGBTQIA+ population in Brazil dates back to the late 1970s – a period in which various social movements organized themselves in the fight to re-establish democracy in the country, including the homosexual movement⁵. The debate and numerous demonstrations promoted over the decades gave political visibility to the problems of both private life and social relations involving LGBTQIA+ individuals⁶.

In the field of public health, advances on the demands and needs of this social group included: the creation of AIDS control program in Brazil and the establishment of the National

Program for Sexually Transmitted Diseases in the 1980s as a response to the HIV/AIDS epidemic; the inclusion of LGBT rights in the 12th National Health Conference in 2003; the launch of the Program to Combat Violence and Discrimination against GLTB (Gays, Lesbians, Transsexuals and Bisexuals) and to Promote Homosexual Citizenship, ‘Brazil Without Homophobia’; the establishment by the Ministry of Health⁷ of the technical committee for the health of the LGBT population; the establishment of the National Guidelines for the Transsexualization Process in the Unified Health System (SUS) in 2008; the guarantee of the use of the social name for SUS users in 2009; the creation of PoLGBT in 2011, among others. It is important to note that these rights which have been progressively achieved by the LGBTQIA+ people cannot be considered concessions or privileges for this population segment, but rather as rights acquired through the organization and struggle of social movements that embraced those causes.

It is also worth observing that, despite several attacks on the public health policies in recent years, there was an important achievement by the LGBTQIA+ population in the health sector, in 2020. Following a historic decision by the Federal Supreme Court, the National Health Surveillance Agency revoked, in 2022, the restriction on blood donation by “male individuals who have had sexual relations with other individuals of the same sex and/or their sexual partners”⁸.

Results

Table 1 shows the articles considered eligible for the research, indicating their identification code as well as their title, author(s), year of publication and the journal in which they were published. Subsequently, the analysis will be presented.

Table 1. Final sample of articles selected for analysis

Identification code	Article title	Author	Year	Journal
2018A	Access by lesbians, gays, bisexuals and transvestites/transsexuals to the Basic Family Health Units	Geane Silva Oliveira; Jordana de Almeida Nogueira; Gilka Paiva Oliveira Costa; Francisca Vilela da Silva; Sandra Aparecida de Almeida	2018	Revista da Rede de Enfermagem do Nordeste
2019A	Experiências de acesso de mulheres trans/travestis aos serviços de saúde: avanços, limites e tensões.	Yesone Monteiro; Mauro Brigeiro	2019	Cadernos de Saúde Pública
2019B	Acesso ao exame citológico do colo do útero em região de saúde: mulheres invisíveis e corpos vulneráveis	Noêmia Fernanda Santos Fernandes; José Ribas Galvão; Marluce Maria Araújo Assis; Patty Fidelis de Almeida; Adriano Maia dos Santos	2019	Cadernos de Saúde Pública
2019C	Discursos sobre a saúde de lésbicas, gays, bissexuais e transgêneros (LGBT) adotados por médicos que atuam na estratégia saúde da família do Brasil	Danilo Borges Paulino; Emerson Fernando Rasesa; Flávia do Bonsucesso Teixeira	2019	Interface: Comunicação, Saúde, Educação
2019D	Vive em espera? Itinerários no acesso de homens trans aos serviços de saúde no Brasil e na Argentina	Camilo Braz	2019	Cadernos de Saúde Pública

Table 1. Final sample of articles selected for analysis

Identification code	Article title	Author	Year	Journal
2019E	Construção do corpo e itinerários de saúde: um levantamento entre travestis e trans no rio de janeiro, brasil	Sérgio Carrara; Jimena de Garay Hernandez; Anna Paula Uziel; Greice Maria Silva da Conceição; Henri Panjo; Ana Camila de Oliveira Baldanzi; João Pedro Queiroz; Luisa Bertrami D'Angelo; Adriana maria Shad e Baltazar; Aureliano Lopes da Silva Junior; Alain Giami	2019	Cadernos de Saúde Pública
2019F	Otimizando a programação de HIV para mulheres transgênero no Brasil	Jae Sevelius; Laura Rebeca Murray; Nilo Martinez Fernandes; Maria Amélia Veras; Beatriz GrinsztejnSheri A. Lippman	2019	Cultura, Saúde e Sexualidade
2019G	Percepções do grupo LGBT sobre o câncer de próstata: uma revisão integrativa	Arlean Salvador da Silva; Felyckson Sostenes Carvalho de Oliveira; Alexandre Bezerra Silva	2019	Revista Ciência Plural
2020A	Análise das necessidades de ajuda de homens com HIV que fazem sexo com homens.	Farias Odaleia de Oliveira; Guedes Dayse da Silva; Priscila Carolinne Araújo de Freitas; Marli Teresinha Gimenez Galvão; Gilmara Holanda da Cunha; Ivana Cristina Vieira de Lima	2020	Revista da Escola de Enfermagem
2020B	O acesso ao Sistema Único de Saúde na percepção de homossexuais masculinos	Luís Eduardo Soares dos Santos; Wemerson dos Santos Fontes; Ana Karla Sousa de Oliveira; Luísa Helena de Oliveira Lima; Ana Roberta Vilarrouca da Silva; Ana Larissa Gomes Machado	2020	Revista Brasileira de Enfermagem
2020C	(Re)escrevendo roteiros (in) visíveis: a trajetória de mulheres transgênero nas políticas públicas de saúde	Itaúna de Oliveira; Moisés Romanini	2020	Saúde e Sociedade
2020D	Acesso À Saúde Pela População Trans No Brasil: Nas Entrelinhas Da Revisão Integrativa	Pablo Cardozo Rocon; Kallen Dettmann Wandekoken; Maria Isabel Barros de Barros; Marco José Oliveira Duarte; Francisco Sodré	2020	Trabalho, Educação e Saúde
2020E	Abrindo os armários do acesso e da qualidade: uma revisão integrativa sobre a saúde das populações LGBT	Breno de Oliveira Ferreira; Cláudia Bonan	2020	Ciência e Saúde Coletiva
2020F	Avaliação da implementação da Política Nacional de Saúde Integral à população LGBT em um município da região Sudeste do Brasil	Nilo Plantiko Guimarães; Rafaela Lirio Sotero; João Paulo Cola; Susana Antônio; Heletícia Scabelo Galavote	2020	Revista Eletrônica de Comunicação, Informação e Inovação em Saúde
2021A	Atendimento vocal à pessoa trans: uma apresentação do Protocolo de Atendimento Vocal do Ambulatório Trans e do Programa de Redesignação Vocal Trans	Rodrigo Dornelas; Kelly da Silva; Ariane Damasceno Pelicani	2021	CODAS

Table 1. Final sample of articles selected for analysis

Identification code	Article title	Author	Year	Journal
2021B	Vários tons de "No": relatos de profissionais da Atenção Básica na assistência de lésbicas, gays, bissexuais, travestis e transexuais	Breno de Oliveira Ferreira; Claudia Bonan	2021	Interface: Comunicação, Saúde, Educação
2021C	LGBTQIA+ health in light of principled bioethics	Jeanderson Soares Parente; Caik Ferreira Silva; Beatriz de Castro Magalhães; Mauro Mc Carthy de Oliveira Silva; Grayce Alencar Albuquerque		Revista Bioética
2021D	Compreensão hermenêutica sobre vulnerabilidades femininas pertencentes ao coletivo de lésbicas, bissexuais e transexuais	Myllena Ferreira Peixoto; Vander Monteiro da Conceição; Silvio Éder Dias da Silva; Manoel Antonio dos Santos; Lucila Castanheira Nascimento; Jeferson Santos Araújo	2021	Revista Gaúcha de Enfermagem
2021E	Debatendo masculinidades trans: uma revisão de literatura sobre masculinidades trans no Brasil.	Pamella Liz Nunes Pereira; Paula Gaudenzi; Claudia Bonan	2021	Saúde e Sociedade
2021F	Abordagem integral do teste de HIV/AIDS e vinculação ao tratamento entre homens que fazem sexo com homens em Curitiba, Brasil	Marly Marques da Cruz; Vanda Lúcia Cota; Nena Lentini; Trista Bingham; Gregory PaiSolange Kanso; Liza Regina Bueno Rosso; Bernardo Almeida; Raquel Maria Cardoso Torres; Cristiane Yumi Nakamura; Ana Carolina Faria e Silva Santelli	2021	PLoS One
2021G	O Inquérito Nacional de Saúde LGBT+: metodologia e resultados descritivos	Juliana Lustosa Torres; Gabriela Pérsio Gonçalves; Adriana de Araújo Pinho; Maria Helena do Nascimento Souza	2021	Cadernos de Saúde Pública
2021H	Acesso aos serviços de saúde para mulheres lésbicas: uma revisão de literatura	Adriana das Neves Silva; Romeu Gomes		Ciência e Saúde Coletiva
2021I	Cadê as populações LGTBTT na estratégia saúde da família? narrativas de profissionais de saúde em Teresina, Piauí, Brasil	Breno de Oliveira Ferreira; Claudia Bonan	2021	Ciência & Saúde Coletiva
2021J	Sexualidade e estigma na saúde: uma análise da patologização da diversidade sexual nos discursos dos profissionais da atenção básica.	Rita de Cássia Passos Guimarães; Cláudio Fortes Garcia Lorenzo; Ana Valéria Machado Mendonça	2021	Physis
2021L	Associação entre discriminação de gênero e consultas médicas e teste de HIV em uma grande amostra de mulheres transgênero no nordeste do Brasil	Beo Oliveira Leite; Danielle Souto de Medeiros; Laio Magno; Francisco Inácio Bastos; Carolina Coutinho; Ana Maria de Brito; Maria Socorro Cavalcante; Inês Dourado	2021	International Journal for Equity in Health
2022A	"Clara, esta sou eu!" Nome, acesso à saúde e sofrimento social entre pessoas transgênero	Maylla Mota; Alef Diogo da Silva Santana; Luísa Rodrigues e Silva; Lucas Pereira de Melo	2022	Interface - Comunicação, Saúde, Educação
2022B	Restrição de políticas públicas de saúde: um desafio dos transexuais na atenção básica	Gomes, D.; Teixeira, E.; Sauthier. M.	2022	Escola Anna Nery

Table 1. Final sample of articles selected for analysis

Identification code	Article title	Author	Year	Journal
2022C	Producción de Sentidos sobre Asistencia Transespecífica en Salud, Derechos y Ciudadanía Trans*	Cláudia Letícia Lazcano; Maria Juracy Filgueiras Toneli	2022	Psicologia: Ciência e Profissão
2022D	A formação dos(as) trabalhadores(as) da saúde na construção de um acesso à saúde integral, equânime e universal à população trans	Rocon, P.; De Barros, M.; Rodrigues, A.	2022	Pro-Posições

Source: Own elaboration.

From the scoping review, it was observed that the studies dealt with the Lesbian Gay, Bisexual, Transvestite, and Transsexual (LGBT) population in general or the trans population in specific – five articles addressed the LGBT population, and another five approached trans people. The other groups that make up the acronym were not analyzed. The bisexual population in particular is only covered in one of the articles, focusing on bisexual women. In other words, bisexual men were not mentioned in any of the analyzed articles. The topic of bisexuality seems to have been suppressed in the analyzed publications. This may be related to the fact that

bisexuality holds a precarious social, political and scientific position, and is still perceived as a

‘dubious’ sexuality, which hinders the possibility of real inclusion for these individuals⁹⁽¹⁷⁷⁰⁾.

Regarding the type of research, most of the articles were qualitative. Only four were quantitative. As for the study design, 19 different types were identified. However, content analysis featured prominently in five articles. Regarding the techniques used for data collection, 11 techniques were identified, with interviews being prominent in 16 articles. In relation to the scope of the research and its location, it was identified that two articles were the result of international/national research and four of them were the result of national research. However, most of the studies were carried out at a local level, in municipalities in Brazil as shown in *table 2*.

Table 2. Synthesis of the analyzed papers

Article	Type of Research	Study Design	Data Collection Techniques	Study Scope	Study Location	Addressed Group	Does it characterize the access of the LGBTQIA+ population?	Does it address barriers to access?	Does it address facilitators of access?	Does it address professional training for assisting the LGBTQIA+ population?
2018A	Qualitative	Content analysis	Interview/Word Association Test	Local	Cajazeiras/ PB	LGBTT	Yes	Yes	No	Yes, briefly
2019A	Qualitative	Content analysis	Interview / Focus group/ Observation	Regional	Baixada Fluminense/RJ	Trans women/transvestites	No	Yes	Yes	Yes, briefly
2019B	Qualitative	Case study	Focus group	Regional	Vitória da Conquista/BA	Lesbian women	Yes	Yes	Yes	Yes
2019C	Qualitative	Social Constructionism	Interview	Regional	Uberlândia e Belo Horizonte/ MG	LGBT	Yes	Yes	No	Yes, briefly
2019D	Qualitative	Field research	Interview	Local/Abroad	Goiânia; Buenos Aires	Trans men	Yes	Yes	No	No
2019E	Quantitative	Survey	Questionnaire	Regional	Metropolitan Region of Rio de Janeiro	Transvestites, trans and non-binary people	No	Yes	No	No
2019F	Qualitative	Content analysis	Focus group	Local	Rio de Janeiro/ RJ	Trans women	Yes	Yes	Yes	No
2019G	Qualitative	Integrative Review	Bibliographic survey	National	Brazil	LGBT	Yes	Yes	No	Yes, briefly
2020A	Qualitative	Prescriptive Theory	Interview	Local	Capital of North-east Brazil	Men who have sex with men	Yes	Yes	Yes	Indirectly addressed
2020B	Qualitative	Content analysis	Focus group/ Questionnaire	Local	Picos/PI	Homosexual men	No	Yes	No	Yes
2020C	Qualitative	Critical social psychology/ Schizoanalysis	Interview	Local	Inland town/RS	Trans women	Yes	Yes	Yes	Indirectly addressed
2020D	Qualitative	Integrative review	Bibliographic survey	National	Brazil	Trans people	Yes	Yes	Yes	Yes, briefly
2020E	Qualitative	Integrative review	Bibliographic survey	National	Brazil	LGBTT	Yes	Yes	Yes	Yes, briefly
2020F	Qualitative	Descriptive-exploratory study	Interview/ Observation	Local	Municipality Not informed/ES	LGBT	Yes	Yes	Yes	Yes, briefly
2021A	Qualitative	Descriptive	Not applicable	Local	Lagarto/SE	Trans people	Yes	Yes	No	Indirectly addressed
2021B	Qualitative	Study of oral reports	Interview	Local	Teresina/PI	LGBTT	Yes	Yes	No	Yes
2021C	Qualitative	Descriptive-exploratory study	Focus Group	Local	Iguatu/CE	LGBTQIA+	Yes	Yes	Yes	Yes, briefly
2021D	Qualitative	Inductive hermeneutic analysis	Interview	Local	Marabá/PA	Lesbian, bisexual and transgender women	Yes	Yes	No	Yes, briefly

Table 2. Synthesis of the analyzed papers

Article	Type of Research	Study Design	Data Collection Techniques	Study Scope	Study Location	Addressed Group	Does it characterize the access of the LGBTQIA+ population?	Does it address barriers to access?	Does it address facilitators of access?	Does it address professional training for assisting the LGBTQIA+ population?
2021E	Qualitative	Literature review	Bibliographic survey	National	Brazil	Trans men	No	Yes	Yes	No
2021F	Quantitative	Cross-sectional analysis	Test data extraction	Local	Curitiba/PR	Men who have sex with men	No	Yes	Yes	No
2021G	Quantitative	Cross-sectional analysis	Questionnaire	National	Brazil	LGBT+	Yes	Yes	Yes	Yes, briefly
2021H	Qualitative	Content analysis	Bibliographic research	National/International	Brazil/Other Countries	Lesbian women	Yes	Yes	Yes	Yes, briefly
2021I	Qualitative	Narrative study	Interview	Local	Teresina/PI	LGBTT	Yes	Yes	Yes	Yes, briefly
2021J	Qualitative	Discourse analysis	Interview	Regional	Goiânia/GO, Brasília and outskirts/DF, Vitória da Conquista/BA; Salvador/BA	LGBTT	Yes	Yes	Yes	Yes, briefly
2021L	Quantitative	Cross-sectional analysis	Questionnaire	Regional	Salvador/BA; Recife/PE; Fortaleza/CE	Women, Transvestites, Transsexuals +	Yes	Yes	Yes	No
2022A	Qualitative	Thematic analysis (thematic coding)	Interview/Observation	Local	Ribeirão Preto/SP	Trans people	Yes	Yes	Yes	Yes, briefly
2022B	Qualitative	Exploratory and descriptive study/ Content analysis	Interview	Local	Rio de Janeiro/RJ	Transsexuals	Yes	Yes	No	Yes, briefly
2022C	Qualitative	Recursive problematization (<i>Problematización recursiva</i>)	Interview	Local	Capital of an undisclosed state in the South of Brazil	Trans people	Yes	Yes	Yes	Yes, briefly
2022D	Qualitative	Field research	Interview	Local	Espírito Santo	Trans people	No	Yes	Yes	Yes

Source: Own elaboration.

Characterization of access for the LGBTQIA+ population in PHC

One of the complexities of characterizing the access of the LGBTQIA+ population to PHC may be associated with the difference between access and accessibility. Starfield¹² discusses the concept of access, stressing the difference between access and accessibility. For him, access must occur in a timely and appropriate manner in order to achieve better health results. Accessibility, on the other hand, refers to the factors that “enable people to reach services”¹⁰⁽²²⁵⁾. In other words, accessibility is a possibility of contact made effective by access to health services – but for the LGBTQIA+ population access is often not achieved due to various institutional barriers¹⁰. The study found that 23 out of the 29 analyzed articles showed some qualification or characteristics of the population’s entry into health services. Next, it will be described how such characterization was carried out in the studies.

The concept of access is based on the ability to seek and obtain healthcare. In their article, Ferreira and Bonan⁹ argue that accessibility conditions are related to political, technical, symbolic, and economic determinants. In this sense, inequalities in access and issues such as the unsatisfactory quality of healthcare affect social minorities in particular, such as the LGBTQIA+ population. These authors highlight that the Política Nacional de Saúde Integral de Lésbicas, Gays, Bissexuais, Travestis e Transexuais (PSNI-LGBT) – National Comprehensive Health Policy for Lesbians, Gays, Bisexuals, Transvestites and Transsexuals), launched by Ordinance No. 2,836 of December 1, 2011, is an important reference for discussions on access and quality of healthcare for the LGBTQIA+ population⁹. According to Oliveira et al.¹¹, the PNSI-LGBT is committed to promoting inclusion and reducing inequalities in access to healthcare for the LGBTQIA+ population, reinforcing their historical needs.

The analyzed articles also showed that some of the authors discuss the process of making public policies based on the notion of gender binarity. For Gomes, Teixeira and Sauthier¹²⁽²⁾, “the health manuals used by professionals address a method of care based on biological concepts”. As a result, the needs of individuals which go beyond the binary of male and female end up being neglected and ultimately having a negative effect on access to and use of the health system.

In this sense, Mota et al.¹³ discuss the pathologizing concept that permeates trans people’s access to health services, which has already been challenged by social movements and national and international organizations. The authors point out that ‘depathologization’ has been one of the axes of political advocacy of the trans social movement in discussing and reclaiming the notion of existence as ‘not sick bodies’. According to the authors, the fulfillment of this demand in Brazil depends on the expansion of public policies to provide access to the transsexualizing process in the SUS and, above all, the massive recognition of trans citizenship. In this context, depathologization has been an important political tool in the resistance and claims of trans bodies in search of integral and welcoming healthcare.

Dornelas et al.¹⁴ raise the prospect of access quality for the LGBTQIA+ population, which is directly linked to welcoming practices. Implementing this guideline requires recognizing the health needs of others through

a qualified listening approach that allows the adjustment of care to the real needs of the assisted person. Only in this way can health practices be effective¹⁴⁽⁴⁻⁵⁾.

Barriers and facilitators of access to healthcare for the LGBTQIA+ population in PHC

All the analyzed articles address in different ways the barriers faced by the LGBTQIA+ population in accessing PHC, whether objectively or subjectively. Brigeiro and Monteiro¹⁵⁽⁴⁾ highlighted that

there are subjective obstacles to accessing services due to internalized stigma and the association of people with HIV infection with their living conditions.

Other texts also address the issue of stigmatization of the LGBTQIA+ population with HIV. In this regard, Sevelius et al.¹⁶ state that institutional environments, due to the introjection of rigid categories of gender and sexuality, link and interconnect stigma and discrimination related to HIV and transgender people:

[...] service providers often associated transgender identity with HIV and that any health problems they reported were considered HIV-related¹⁶⁽⁴⁶⁻⁴⁷⁾.

Thus, it can be observed that access to healthcare for the LGBTQIA+ population is still linked to their sexual behavior, meaning that the first offer of service is associated with HIV testing, preceding any other health need for these users. This may be related to the representation of HIV, permeated by stigmas and misinformation about various epidemiological scenarios, which are determinants to discrimination and contribute to perpetuating access barriers for this population¹⁷. The blaming and association of the LGBTQIA+ population as disseminators of Sexually Transmitted Infections (STIs) by health professionals is characterized by Guimarães et al.¹⁸ as acts of violence and discrimination, which result in one of the main barriers to accessing healthcare. Parente et al.¹⁹ also highlight institutional violence as the main barrier to accessing health services. For these authors, the violence is materialized by inadequate assistance, the non-adoption of the social name, which is a legal right, and disrespectful comments leading to anger and emotional instability in users.

Despite regulations covering policies to ensure access to healthcare in PHC for those social groups, Mota et al.¹³ say that they are not enough to guarantee full citizenship. The authors mention as an example the failure

to comply with Provision No. 73, of June 28, 2018, which addresses the rectification of the birth registered name. In the routine of the services, the rectified name of trans people and transvestites is often not formalized at the time of care attendance. There is a double denial: of the human condition and of trans people's citizenship. Rocon et al.²⁰ highlight the barriers to access pointing out that there is a chain reaction which produces suffering and illness among the trans population: the notion of 'institutional trans-travestiphobia' the main access barrier leading to the interruption of treatments with consequences and sequelae for this population's health who does access healthcare services, but find it hard to remain.

Therefore, the analyzed production makes it clear that the existence of a national policy that advocates access to health services for the trans population is not enough to ensure that the structures of the services welcome and monitor the PHC as established. The heteronormative practice used by health professionals to care for the LGBTQIA+ population was highlighted by Lazcano and Toneli²¹; the authors point out that even when the regulations establish a line of care for transvestites and transsexuals as part of Brazilian public health system, this is strongly impacted by heteronormativity and gender binarism, which combined with the pathologization of transsexualities, end up accentuating the precariousness of transsexualities. Parente et al.¹⁹⁽⁶³⁶⁻⁶³⁷⁾ observed that

with the exception of the statements linked to the principle of beneficence, all the participants in the research they conducted reported violations of the principle of justice, indicating unequal assistance and denial of rights.

Silva and Gomes²² have analyzed the issue of the personal values of health professionals which are intertwined in the assistance given to lesbian women. Religious beliefs held by a portion of health professionals who reaffirm heterosexuality as the only acceptable

conduct become embedded in their practice, creating difficulties for these women to access healthcare services. In other words, “naturalized heterosexuality is present – explicitly or implicitly – in healthcare practice in general and in the attitude of professionals”²²⁽⁵³⁻⁵⁴⁾.

Ferreira and Bonan⁹ have also indicated the existence of barriers in the management and operationalization of the PNSI-LGBT as well as a fragile dialogue between federal, state and municipal administrations in which normative and legal agreements are not established in a precise manner. The authors also indicate as a barrier the knowledge of health professionals in relation to the sexual orientation and/or gender identity of people who access health services. The majority of professionals report they adopt a single approach when dealing with the general population. However, they choose to standardize care without considering the expressions, desires, and health needs of users. The identification of gender identity and/or sexual orientation was indicated in the professional’s rhetoric as something of little relevance to healthcare assistance²³.

Guimarães et al.¹⁸ support this view in their research with health professionals. There were only approaches to the population’s sexual orientation and gender identity during academic training, and even then, they were linked to the subject of STIs. Along the same lines, Silva and Gomes²² highlighted this weakness in the training of health professionals, which has contributed to their discomfort and unpreparedness when it comes to welcoming lesbian women, for instance, making their demands and specificities invisible.

Gomes and Sauthier¹² suggest that, in addition to restrictions on access to health services, there is a fundamental issue which is the low level of resolution in specific care provided to the transgender population. According to them, this population is dissatisfied with the lack of specific services in the Basic Health Units (UBS), “characterizing itself as a restriction on transsexuals’ access to public health policies that meet their demands”¹²⁽³⁾,

reinforcing the conditions of vulnerability of this population to specialized services that should be referred by the primary level of care.

Leite et al.²⁴ argue that although Brazil has a universal health system, there is still no effective strategy to link those people to the system and there are still many barriers to access resulting from discrimination by health professionals and users, disrespect for their social name and gender identity, and failure to meet the necessary health demands.

Based on their research, Paulino et al.²⁵ bring up the perspective of the ‘discourse of not knowing’ about the demands of the LGBTQIA+ population by health professionals. In other words, a lack of knowledge structured around blaming the system, and justified due the lack of training on the subject during graduation or because the municipal management did not offer continuing education on the issue. The authors point out to this process as a strategy that also conceals irresponsibility, i.e. “I don’t know and I can continue not knowing”²⁵⁽⁸⁾. It is therefore possible to note that primary healthcare for the LGBTQIA+ population is compromised by deficiencies in specific knowledge and skills among healthcare professionals. However, lack of responsibility is a widespread strategy. Other issues also keep the LGBTQIA+ population away from healthcare services such as: inhospitable environments in health services that stigmatize those patients and the lack of policies and parameters for better practice.

Regarding the facilitators that enables the access for the LGBTQIA+ population in PHC, 19 out of the 29 analyzed articles addressed this aspect.

Most of the articles that discuss facilitators of access to health services for the LGBTQIA+ population mention PHC as a powerful level of care for increasing the access. Ferreira et al.⁹, Mota et al.¹³, Guimarães et al.¹⁸ and Parente et al.¹⁹ mention legal frameworks as facilitators of access, such as the creation, in 2014, of the Programa de Combate à Violência e à Discriminação contra GLTB e de Promoção

da Cidadania Homossexual (Program to Fight Violence and Discrimination against LGBT People and Promote Homosexual Citizenship), and the Ordinance No. 2,836/2011 which established the PSNI-LGBT. These regulations are highlighted as tools to improve access to healthcare for social minorities such as the LGBTQIA+ population.

Still from this perspective, Ferreira and Bonan⁹ also point out that the removal of homosexuality as a pathology in the 10th Revision of the International Classification of Diseases (ICD-10) was fundamental for tackling abuses, restrictions, and denial of rights to LBTT populations. However, some authors also warn that the existence of legal frameworks, although important, is not enough to guarantee the LGBTQIA+ population access to health services in PHC. Borba²⁶ mentions the Ordinance 1,707/2008 which establishes the transsexualizing process and defines humanized care as the ones free from discrimination. The author underlines that the humanization of care provided for in that Ordinance is not deeply explored. It is part of broader reflections and propositions within the HumanizaSUS movement, in the Política Nacional de Humanização do SUS (PNH) – SUS National Humanization Policy). Nevertheless, these discussions are still not enough to ensure that trans people are welcomed in health services as confirmed by Ferreira and Bonan⁹, Mota et al.¹³, and Oliveira and Romani²⁷.

Bringing in humanization as an ethical and political guideline is an important change for the transgender population's access to healthcare. However, according to Rocon et al.²⁸, there is still a need for more studies on the health of trans people based on the propositions, contributions, and ethical and political movements of the PNH.

Rocon et al.²⁸ noted that another facilitator of access for the trans population is the removal of the requirement for surgery to change the names on documents. In line with this analysis, Guimarães et al.¹⁸ emphasize

that the presence of a field intended for the social name in health documents and medical records expresses the respect that professionals have for the names users have chosen. Adopting the name of choice in the records not only de-characterizes violations of established rights, but also brings the professional practice closer to the SUS's principles of universality and equity¹⁸.

Ferreira and Bonan⁹ mention educational actions as facilitators for professionals, managers, administrators, and also for the general community with the aim of discussing historically constructed concepts and stigmas with positive effects on both the relational and organizational dimensions. These recommendations, drawn up since the 12th National Health Conference, range from raising awareness among professionals about the rights of the LGBTQIA+ population, including the issue of free sexual expression in the SUS continuing education policy, to increasing the representation of this population in the decision-making levels such as in the health councils. Some official documents include the establishment of specific protocols for the assistance of lesbians and transvestites, the encouragement and sharing of technological innovations that increase the effectiveness of interventions and the guarantee of the sexual and reproductive rights¹⁸.

Oliveira and Romanini²⁷ stress the articulation of health services as a way of increasing access. Primary care and specialized services need to converge their efforts to increase the care provided to the LGBTQIA+ population. They also consider the importance of community health workers as professionals located in the closest units to the users of health services. In this sense, it is essential that these professionals are well trained to welcome the LGBTQIA+ population.

Silva and Gomes²² observe that creating a welcoming environment encouraging bonding and an open professional/user relationship can help to break down a context marked by stigma, discrimination and fear,

as well as helping to reduce institutionalized violence. In the case of women, the authors advocate for maintaining an environment that respects their uniqueness and deconstruct forms of violence that lead to the exclusion and discrimination against lesbians. That constitutes an inclusive, comprehensive and humanized healthcare service.

Another initiative, as described by Lazcano and Toneli²¹, was a training course involving transactivists and UBS staff. The project was intended to provide a sensitive reception for users. They believe that the communication relationship between the human rights movements proved to be powerful in the joint work undertaken with the medical team that assisted transgender people²³. For Guimarães, Lorenzo and Mendonça²⁹, health professionals' knowledge of sexual orientation is both related to a better quality of the services and also in the increase of promotion and prevention actions for the LGBTQIA population.

The approach to professional training on access to healthcare for the LGBTQIA+ population in PHC

In relation to professional training to assist the LGBTQIA+ population in PHC, it was found that most of the analyzed articles approached this issue briefly and did not delve deeper into it. Only four articles specifically addressed professional training focused on serving the health needs of the LGBTQIA+ population^{20,23,30,31}, either as a barrier or as a facilitator of the access to healthcare for the LGBTQIA+ population. According to Rocon et al.²⁰, professional training strategies based on political awareness, technical information and the transmission of representations of transsexuality have not been enough to intervene in a way that guarantees the quality of access and welcoming of the transsexual population in PHC. The authors state that the training of health workers, whether technical or in raising political awareness of the trans population's rights, is not enough to overcome the problems

of access to health services. The emphasis on technicality, transmission and accumulation of information are not enough to tackle barriers regarding access.

Other articles only briefly touch on this aspect^{9,12,13,18,19,21,25,32,33}. According to Silva and Gomes²², there is a weakness in the training of health professionals, which makes them uncomfortable in dealing with issues of sexual orientation and diversity and with the LGBTQIA+ population. Therefore, there is the need to advance in professional training and qualification for health professionals, and they should be based on humanization and breaking with the heteronormative and cisgender logic. Certainly, it does not suggest that professional training may be the only solution to ease the access barriers faced by LGBTQIA+ people in PHC, but it does encourage discussion and opportunities for reflection and for the deconstruction of heteronormative principles.

Final considerations

The purpose of this article was to conduct a scoping review of the LGBTQIA+ population's access to PHC services in Brazil. The review, which covered five databases spanning from 2017 to 2022, found a low number of publications on the subject, specifically concerning the access of the LGBTQIA+ population to this level of care, indicating that this issue has not been prioritized in the research agenda of the Brazilian scientific production.

Considering the objectives of the research, it was observed that access to health services for the LGBTQIA+ population is characterized by inequalities, permeated by stigmas and prejudices in which these groups are cared for based on the centrality of heteronormativity and the pathologization of trans people, disregarding this population's specific demands.

Improvements in the legal framework were also highlighted, bearing in mind their impact on the assistance granted to the LGBTQIA+ population, such as the PNSI-LGBT with its

guarantee for using the social name and the transsexualization process. These advances were deemed foundational in consolidating access to these groups to PHC as they promote the inclusion and visibility of this population's historical agendas in the health sector. However, despite the achievements of LGBTQIA+ movements in the healthcare agendas, it can still be perceived as a challenge to effectively implement policies promoting sexual and gender diversity in public health facilities.

The results presented here confirm the recognition that healthcare facilities are organized based on the heteronormative logic, disregarding gender identities and their expressions. In this sense, there is a lack of professional training to deal with the LGBTQIA+ population's health, which goes beyond academic formation and which is perpetuated in in-service training that is also scarce or disconnected from the needs of both the professionals and the target audience.

The importance of this issue is reaffirmed as well as the need for more in-depth reviews and studies capable of identifying more robust evidence on the findings outlined here. In particular, the dimension of this population's access to the main gateway to the SUS definitely requires a more systematized approach and reflections upon a new sociability in relation to gender and sexuality issues by the planners and enforcers of health policies in the SUS. By confronting this agenda, greater visibility will be conferred upon the LGBTQIA+ population in the health sector and the historical gap of their suppressed social rights will be confronted.

Collaborators

Gonçalves EFM (0000-0002-9065-8214)*, Oliveira EA (0000-0001-5877-9879)*, Cardoso GCP (0000-0002-4014-0951)* and Silva LTB (0000-0002-7341-260X)* also contributed to the preparation of the manuscript. ■

References

1. Cordeiro L, Soares CB. Revisão de escopo: potencialidades para a síntese de metodologias utilizadas em pesquisa primária qualitativa. *BIS, Bol. Inst. Saúde.* 2020; 20(2):37-43.
2. Peters MD, Godfrey CM, Khalil H, et al. Guidance for Conducting Systematic Scoping Reviews. *Int. J. Evid. Based Healthc.* 2015; 13(3):141-146.
3. Vieira TR, Paiva LAS. *Identidade sexual e transexualidade.* São Paulo: Roca; 2009.
4. Butler J. *Bodies that matter: on the discursive limits of "sex".* New York: Routledge; 1993.
5. Facchini R. Entre compassos e descompassos: um olhar para o 'campo' e para a 'arena' do movimento LGBT brasileiro. *Bagoas.* 2009; 3(4):131-158.
6. Brasil. Ministério da Saúde, Secretaria de Gestão Estratégica e Participativa, Departamento de Apoio à Gestão Participativa. *Política Nacional de Saúde Integral de Lésbicas, Gays, Bissexuais, Travestis e Transsexuais.* Brasília, DF: Ministério da Saúde; 2013.

*Orcid (Open Researcher and Contributor ID).

7. Brasil. Ministério da Saúde. Portaria nº 2.227, de 14 de outubro de 2004. Dispõe sobre a criação do Comitê Técnico para a formulação de proposta da Política Nacional de Saúde da População de Gays, Lésbicas, Transgêneros e Bissexuais – GLTB. Diário Oficial da União. 15 Out 2004.
8. Brasil. Ministério da Saúde, Agência Nacional de Vigilância Sanitária. Resolução da Diretoria Colegiada – RDC nº 34, de 11 de junho de 2014. Dispõe sobre as Boas Práticas no Ciclo do Sangue. Diário Oficial da União. 16 Jun 2014. [acesso em 2022 nov 15]. Disponível em: <https://saude.rs.gov.br/upload/arquivos/carga20170553/04145350-rdc-anvisa-34-2014.pdf>.
9. Ferreira BO, Bonan C. Abrindo os armários do acesso e da qualidade: uma revisão integrativa sobre assistência à saúde das populações LGBTT. *Ciênc. saúde coletiva*. 2020; 25(5):1765-1778.
10. Starfield B. Atenção primária: equilíbrio entre necessidades de saúde, serviços e tecnologia. Brasília, DF: Unesco; Ministério da Saúde; 2002.
11. Oliveira G, Nogueira J, Costa G, et al. Acesso de Lésbicas, Gays, Bissexuais e Travestis/Transexuais às Unidades Básicas de Saúde da Família. *Rev. Rene*. 2018; 19:e3295.
12. Gomes DF, Teixeira ER, Sauthier M, et al. Restrição de políticas públicas de saúde: um desafio dos transexuais na atenção básica. *Esc. Anna Nery*. 2022; 26:e20210425.
13. Mota M, Santana ADS, Silva LR, et al. “Clara, esta sou eu!” Nome, acesso à saúde e sofrimento social entre pessoas transgênero. *Interface (Botucatu)*. 2022; 26:e210017.
14. Dornelas R, Silva K, Pellicani AD. Atendimento vocal à pessoa trans: uma apresentação do Protocolo de Atendimento Vocal do Ambulatório Trans e do Programa de Redesignação Vocal Trans (PRV-Trans). *CoDAS*. 2021; 33(1):e20190188.
15. Monteiro S, Brigeiro M. Experiências de acesso de mulheres trans/travestis aos serviços de saúde: avanços, limites e tensões. *Cad. Saúde Pública*. 2019; 35(4):e00111318.
16. Sevelius J, Murray LR, Martinez Fernandes N, et al. Optimising HIV programming for transgender women in Brazil. *Cult. Health Sex*. 2019; 21(5):543-558.
17. Farias OO, Guedes DS, Freitas PC, et al. Análise das necessidades de ajuda de homens com HIV que fazem sexo com homens. *Rev. Esc. Enferm. USP*. 2020; 54:e03650.
18. Guimarães NP, Sotero RL, Cola JP, et al. Avaliação da implementação da Política Nacional de Saúde Integral à população LGBT em um município da região Sudeste do Brasil. *RECIIS*. 2020; 14(2):372-385.
19. Parente J, Silva C, Magalhães B, et al. LGBTQIA+ health in light of principlist bioethics. *Rev. Bioét*. 2021; 29(3):630-640.
20. Rocon PC, De Barros MEB, Rodrigues A. A formação dos(as) trabalhadores(as) da saúde na construção de um acesso à saúde integral, equânime e universal à população trans. *Pro-Posições*. 2022; 33:e20190083.
21. Lazcano CL, Toneli MJF. Producción de sentidos sobre asistencia transespecífica en salud, derechos y ciudadanía trans*. *Psicol. Ciênc. Prof*. 2022; 42:1-12.
22. Silva AN, Gomes R. Acesso de mulheres lésbicas aos serviços de saúde à luz da literatura. *Ciênc. saúde coletiva*. 2021; 26(supl3):5351-5360.
23. Ferreira B, Bonan C. Vários tons de “No”: relatos de profissionais da Atenção Básica na assistência de lésbicas, gays, bissexuais, travestis e transexuais (LGBT). *Interface (Botucatu)*. 2021; 25:e200327.
24. Leite BO, Medeiros DS, Laio M, et al. Association between gender-based discrimination and medical visits and HIV testing in a large sample of transgender women in northeast Brazil. *Int. J. Equity Health*. 2021; 20(199).
25. Paulino DB, Rasera EF, Teixeira FB. Discursos sobre o cuidado em saúde de Lésbicas, Gays, Bissexuais,

- Travestis, Transexuais (LGBT) entre médicas(os) da Estratégia Saúde da Família. *Interface (Botucatu)*. 2019; 23:e180279.
26. Borba R. Sobre os obstáculos discursivos para a atenção integral e humanizada à saúde de pessoas transexuais. *Sex., Salud Soc. (Rio de Janeiro)*. 2014; (17):66-97.
27. Oliveira I, Romanini M. (Re)escrevendo roteiros (in)visíveis: a trajetória de mulheres transgênero nas políticas públicas de saúde. *Saúde Soc.* 2020; 29(1):e170961.
28. Rocon PC, Wandekoken KD, Barros MEB, et al. Acesso à saúde pela população trans no Brasil: nas entrelinhas da revisão integrativa. *Trab. Educ. Saúde.* 2020; 18(1):e0023469.
29. Guimarães RCP, Lorenzo CFG, Mendonça AVM. Sexualidade e estigma na saúde: uma análise da patologização da diversidade sexual nos discursos de profissionais da rede básica. *Physis.* 2021; 31(1):e310128.
30. Fernandes NFS, Galvão JR, Assis MMA, et al. Acesso ao exame citológico do colo do útero em região de saúde: mulheres invisíveis e corpos vulneráveis. *Cad. Saúde Pública.* 2019; 35(10):e00234618.
31. Santos L, Fontes W, Oliveira A, et al. O Acesso ao Sistema Único de Saúde na percepção de homossexuais masculinos. *Rev. Bras. Enferm.* 2020; 73(2):e20180688.
32. Peixoto MF, Conceição VM, Silva SED, et al. Compreensões hermenêuticas sobre as vulnerabilidades femininas pertencentes ao coletivo de lésbicas, bissexuais e transexuais. *Rev. Gaúcha Enferm.* 2021; 42:e20200133.
33. Torres JL, Gonçalves GP, Pinho AA, et al. O Inquérito Nacional de Saúde LGBT+: metodologia e resultados descritivos. *Cad. Saúde Pública.* 2021; 37(9):e00069521.

Received on 11/19/2023

Approved on 12/04/2023

Conflict of interests: non-existent

Financial support: non-existent

Responsible editor: Henrique Rabello de Carvalho